## **IN THE CLAIMS**

The following is a marked-up version of the claims with the language that is underlined ("\_\_\_") being added and the language that contains strikethrough ("——") being deleted:

1. (CURRENTLY AMENDED) A method of analyzing a polyionic molecule by mass spectrometry, the method comprising steps of:

providing a polyionic molecule;

attaching at least one eharged non-charged tag to the polyionic molecule to produce a polyionic molecule/tag adduct, wherein the net-charge on the adduct differs from that of the polyionic molecule;

modifying the tag to create charges on the tag, wherein the net charge on the adduct differs from that of the polyionic molecule; and analyzing the adduct by mass spectrometry.

2. (CURRENTLY AMENDED) A method of analyzing a collection of polyionic molecules by mass spectrometry, the method comprising steps of:

providing a collection of polyionic molecules, wherein the molecules have different charges;

attaching at least one eharged-non-charged tag to each polyionic molecule to produce a collection of polyionic molecule/tag adducts, wherein the net charge on each adduct differs from that of each corresponding polyionic molecule;

modifying the tag to create charges on the tag, wherein the net charge on each adduct differs from that of each corresponding polyionic molecule; and analyzing the collection of adducts by mass spectrometry.

(ORIGINAL) A method of claim 1 wherein the step of providing comprises
incorporating a charged tag into the polyionic molecule during synthesis of the
molecule.

- 4. (ORIGINAL) A method of claim 1 wherein the step of providing comprises providing a polynucleotide.
- 5. (ORIGINAL) A method of claim 1 wherein the step of providing comprises providing a protein.
- 6. (ORIGINAL) A method of claim 1 wherein the step of attaching comprises attaching at least one positively charged tag.
- 7. (ORIGINAL) A method of claim 1 wherein the step of attaching comprises attaching at least one negatively charged tag.
- 8. (ORIGINAL) A method of claim 1 wherein the step of attaching comprises attaching at least one tag having both negatively and positively charged groups.
- 9. (ORIGINAL) A method of claim 1 wherein the step of attaching comprises attaching a tag having at least one quaternary ammonium group.
- 10. (ORIGINAL) A method of claim 1 wherein the step of attaching comprises attaching the tag by a covalent bond.
- 11. (ORIGINAL) A method of claim 1 wherein the step of attaching comprises attaching more than one tag.
- 12. (ORIGINAL) A method of claim 1 wherein the step of attaching comprises attaching the tag to anywhere on the molecule.
- 13. (ORIGINAL) A method of claim 1 wherein the step of attaching comprises attaching the same number of tags to each molecule.

- 14. (ORIGINAL) A method of claim 1 wherein the step of attaching comprises resulting in the net charge on the adduct being selected from the group consisting of +3, +2, +1, 0, -1, -2, or -3.
- 15. (ORIGINAL) A method of claim 1 wherein the step of attaching comprises resulting in the net charge on the adduct being a value other than +1 or -1.
- 16. (ORIGINAL) A method of claim 1 wherein the step of attaching comprises reducing the net charge on the adduct.
- 17. (ORIGINAL) A method of claim 2 wherein the step of attaching comprises reducing the net charge on at least one of the adducts to a value of 0.
- 18. (CANCELED)
- 19. (CURRENTLY AMENDED) A method of claim 18 1 wherein the step of the modifying comprises steps of:

deprotecting functional groups on the tag; and creating charges on tag after deprotection.

20. (CANCELED)